



## COMPAKTWANNEN FÜR 200-LITER-FÄSSER

### Zur Lagerung von wassergefährdenden und entzündbaren Flüssigkeiten

- ◆ Auffangwanne aus 3 mm Stahlblech
- ◆ Auffangwanne entsprechend WHG - **Ü-Zeichen gemäß StawaR**
- ◆ Herausnehmbare, feuerverzinkte Gitterroste
- ◆ Bodenfreiheit 100 mm für Staplertransport
- ◆ Korrosionsschutz durch Grundierung und Lackierung oder **Feuerverzinkung**
- ◆ Zur Lagerung von Säuren und Laugen sind für alle Typen PE-Wanneneinsätze lieferbar



CW 1, lackiert, Artikel-Nr. P65-2001-A



CW 2, lackiert, Artikel-Nr. P65-2002-A



CW 3, lackiert, Artikel-Nr. P65-2007-A

**Passende Fassböcke finden Sie auf Seite 17!**

**Wannen in Edelstahl finden Sie auf Seite 32!**



CW 4L, feuerverzinkt, Artikel-Nr. P65-1004-A



CW 4, feuerverzinkt, Artikel-Nr. P65-1003-A

Typenbezeichnung	CW 1	CW 2	CW 3	CW 4	CW 4L	CW 8
Kapazität à 200-Liter-Fass	1	2	3	4	4	8
Außenmaße B x T x H in mm	810 x 820 x 450	1250 x 820 x 340	1850 x 820 x 270	1325 x 1320 x 250	2400 x 820 x 240	2400 x 1220 x 210
Auffangvolumen in Liter	210	210	210	210	210	210
Belastung in kg	250	500	750	1000	1000	1600
Gewicht in kg	60	73	95	110	117	150
Artikel-Nr., lackiert	P65-2001-A	P65-2002-A	P65-2007-A	P65-2003-A	P65-2004-A	P65-2005-A
Artikel-Nr., feuerverzinkt	P65-1001-A	P65-1002-A	P65-1007-A	P65-1003-A	P65-1004-A	P65-1005-A

Zubehör	PE-Einsatz zum Lagern aggressiver Medien					
Artikel-Nr.	P65-2010-A	P65-2011-A	P65-2017-A	P65-2012-A	P65-2013-A	P65-2014-A



COMPAKTWANNEN FÜR 200-LITER-FÄSSER



CW 8, lackiert,  
Artikel-Nr. P65-2005-A



CW 4, feuerverzinkt,  
Artikel-Nr. P65-1003-A,  
mit optionalem Fassbock



PALETTEN-WANNEN

- ◆ Auffangwanne aus 3 mm Stahlblech
- ◆ Auffangwanne entsprechend WHG - **Ü-Zeichen gemäß StawaR**
- ◆ Zur Aufstellung auf Euro- oder Chemiepaletten
- ◆ In Kombination mit Fassbock auch zur liegenden Lagerung geeignet
- ◆ Mit und ohne Gitterrostauflage erhältlich

\* maximale Kapazität bei Verwendung mit verzinktem Gitterrost



EW 2, lackiert, inkl. Gitterroste,  
Artikel-Nr. P66-2303-A




EW 2, feuerverzinkt, ohne Gitterroste,  
Artikel-Nr. P66-1301-A

Typenbezeichnung	EW 2 (für Europaletten)		EW 4 (für Chemiepaletten)	
	ohne Gitterrostauflage	mit Gitterrostauflage	ohne Gitterrostauflage	mit Gitterrostauflage
Ausführung	ohne Gitterrostauflage	mit Gitterrostauflage	ohne Gitterrostauflage	mit Gitterrostauflage
Maße B x T x H in mm	1250 x 820 x 240	1250 x 820 x 240	1220 x 1220 x 210	1220 x 1220 x 210
Auffangvolumen in Liter	210	210	210	210
Kapazität stehend*	2 Fässer	2 Fässer	4 Fässer	4 Fässer
Gewicht in kg	50	73	60	85
Artikel-Nr., lackiert	P66-2301-A	P66-2303-A	P66-2302-A	P66-2304-A
Artikel-Nr., feuerverzinkt	P66-1301-A	P66-1303-A	P66-1302-A	P66-1304-A

FASSBÖCKE

Fassböcke mit festen Fassauflagen für 60 bis 200-Liter-Fässer, komplett **feuerverzinkt**. Fassauflage nach vorne geneigt für einfachere Fassentleerung. Fassböcke kombinierbar mit:


- ◆ Kompaktwannen
- ◆ Wasserschutzpaletten
- ◆ Gefahrstoffstationen
- ◆ Sicherheitsbodenelementen
- ◆ Fasswagen



FB 1,  
Artikel-Nr. P21-1701-A,  
auf optionaler  
Auffangwanne CW 2



FB 2,  
Artikel-Nr. P21-1702-A,  
auf optionaler  
Auffangwanne CW 4



FB 3,  
Artikel-Nr. P21-1703-A,  
auf optionaler  
Auffangwanne CW 4

Typenbezeichnung	FB 1	FB 2	FB 3
Kapazität	1 x 200-Liter-Fass	2 x 200-Liter-Fass	3 x 60-Liter-Fass
Außenmaße B x T x H in mm	600 x 650 x 415	1230 x 650 x 415	1230 x 650 x 415
Artikel-Nr., feuerverzinkt	P21-1701-A	P21-1702-A	P21-1703-A
Artikel-Nr., feuerverzinkt, inkl. Rollenauflage	P21-1801-A	P21-1802-A	P21-1803-A



Explanations see practical informations on page 6 and 84!

## COMPACT SUMP PALLETS FOR 200 LITER DRUMS

### For the storage of water-endangering and flammable liquids

- ◆ Base sump tray made from 3 mm sheet steel
- ◆ Base sump tray according to WHG - **Ü-sign according to StawaR**
- ◆ Removable galvanized grid
- ◆ Ground clearance 100 mm for internal transport
- ◆ Corrosion protection by primer coating and painting or by **fire-galvanized** sheet steel
- ◆ PE inserts are available for all models for the storage of acids and alkalis




CW 1, painted, Article no. P65-2001-A



CW 2, painted, Article no. P65-2002-A



CW 3, painted, Article no. P65-2007-A



CW 4L, fire-galvanized, Article no. P65-1004-A



CW 4, fire-galvanized, Article no. P65-1003-A

Model	CW 1	CW 2	CW 3	CW 4	CW 4L	CW 8
Capacity, 200 liter drums	1	2	3	4	4	8
External dimensions W x D x H (mm)	810 x 820 x 450	1250 x 820 x 340	1850 x 820 x 270	1325 x 1320 x 250	2400 x 820 x 240	2400 x 1220 x 210
Sump capacity (l)	210	210	210	210	210	210
Max. load (kg)	250	500	750	1000	1000	1600
Weight (kg)	60	73	95	110	117	150
Article no., painted	P65-2001-A	P65-2002-A	P65-2007-A	P65-2003-A	P65-2004-A	P65-2005-A
Article no., fire-galvanized	P65-1001-A	P65-1002-A	P65-1007-A	P65-1003-A	P65-1004-A	P65-1005-A

Accessory	PE insert for the storage of aggressive media					
Article no.	P65-2010-A	P65-2011-A	P65-2017-A	P65-2012-A	P65-2013-A	P65-2014-A



COMPACT SUMP PALLETS FOR 200 LITER DRUMS



CW 8, painted,  
Article no. P65-2005-A



CW 4, fire-galvanized,  
Article no. P65-1003-A,  
with optional drum stand



PALLET SUMPS

- ◆ Base sump tray made from 3 mm sheet steel
- ◆ Base sump tray according to WHG - **Ü-sign according to StawaR**
- ◆ For placing on euro- or chemical pallets
- ◆ In combination with drum stand also suitable for horizontal storage
- ◆ Available with and without grid support

\* maximum capacity when used with galvanized grid



EW 2, painted, with grid,  
Article no. P66-2303-A




EW 2, fire-galvanized, without grid,  
Article no. P66-1301-A

Model	EW 2 (for euro-pallets)		EW 4 (for chemical pallets)	
	without grid	with grid	without grid	with grid
Version				
Dimensions W x D x H (mm)	1250 x 820 x 240	1250 x 820 x 240	1220 x 1220 x 210	1220 x 1220 x 210
Sump capacity (l)	210	210	210	210
Capacity, vertical drums*	2 drums	2 drums	4 drums	4 drums
Weight (kg)	50	73	60	85
Article no., painted	P66-2301-A	P66-2303-A	P66-2302-A	P66-2304-A
Article no., fire-galvanized	P66-1301-A	P66-1303-A	P66-1302-A	P66-1304-A

DRUM STANDS

Drum stands with fixed drum supports for 60 liter up to 200 liter drums, completely **galvanized**. Tilted support onwards for easy drum emptying. Drum stands can be combined with:

- ◆ Compact sump pallets
- ◆ Water protection pallets
- ◆ Hazardous substance stations
- ◆ Floor safety elements
- ◆ Drum carts



FB 1,  
Article no. P21-1701-A,  
on optional  
base sump tray CW 2



FB 2,  
Article no. P21-1702-A,  
on optional  
base sump tray CW 4



FB 3,  
Article no. P21-1703-A,  
on optional  
base sump tray CW 4

Model	FB 1	FB 2	FB 3
Capacity	1 x 200-Liter-Fass	2 x 200-Liter-Fass	3 x 60-Liter-Fass
External dimensions W x D x H (mm)	600 x 650 x 415	1230 x 650 x 415	1230 x 650 x 415
Article no., fire-galvanized	P21-1701-A	P21-1702-A	P21-1703-A
Article no., fire-galvanized, with roller support	P21-1801-A	P21-1802-A	P21-1803-A